




	0	1	2	3	4	5	6	7	8	9
A										
B	RAZDELILNIKA		RAZDELILNIK TIP 3							
	SISTEM NAPAJANJA		TN-C-S							
	NAPETOST:		400/230V 50Hz							
	Pi (kW)=		26,4kW							
	fp=		1							
C	fi=		0,2							
	Pk(kW)=		5,28							
	cos(fi)=		0,95							
	Ik(A)=		8,03							
D										
E										
F										









UI.Rakovške cete 19
1381 Rakek
www.ekprojekt.eu
gsm: 051366748

"4" NACRT ELE.INST.IN OPREMA
RAZDELILNIK TIP 3
FAZA :PZI

Datoteka: TIP 3.V1	Nacrt: S11		Init.:	Rev.:	Stran: 5
Datum: 18. 09. 2018	Function:	Location:	Skupaj strani: 6		Naslednja Stran: 6





PO hisni razdelilnik – PO mont. nizek okvir

Neto sirina	359,00mm
Neto visina	714,00mm
Neto globina	95,00mm
Izvedba	Podomet za stene z vrati
Material vrata	Jeklena ploševina
Vrste	4
Stevilo modulov (TE) v vrsti	12+2
Stopnja zaščite	IP30

PO medij. razdelilnik – PO mont. niz. okvi

Neto sirina	359,00mm
Neto visina	714,00mm
Neto globina	95,00mm
Izvedba	Podomet za stene z vrati
Material vrata	Jeklena ploševina
Vrste	4
Stevilo modulov (TE) v vrsti	12+2
Stopnja zaščite	IP30

